

# Lode Rehab Manager

Simultaneous testing



## Highlights

### High standards

Lode is a socially and environmentally responsible company. All Lode products are RoHS/WEE compliant and Lode is ISO 9001:2003, ISO 13485:2008 and FDA 510K certified. All medical products comply to MDD 93/42/EEC, incl. IEC 60601-1.

### Everything in control

Easy set up of Subject data  
Create protocols quickly and efficiently  
Overview of progress during test

### Multifunctional software for all Lode ergometers

The software can be used for all Lode ergometers and treadmills, including their options like bloodpressure, heart rate, SpO2 etc.  
Load as well as bloodpressure triggers can be set remotely.

### Easy to install

- Simple step by step installer
- Easy setup of ergometers
- Easy setup of subjects

### Complete Ergometry setting

The modular structure of the software combined with the accurate and reliable Lode ergometers offers a complete and modern ergometry setting.



# Lode Rehab Manager

## Simultaneous testing



The Lode Rehab Manager software is developed to connect multiple Lode ergometers and / or treadmills to one PC. Patients, devices and protocols can be managed simultaneously. The software can control 2 up till 16 ergometers.

Various ergometry parameters can be controlled:

- Workload
- BPM
- SpO2
- Heartrate
- RPM
- BORG Scale
- Heartrate controlled ergometry

The standard software package provides a license for two ergometers, a network module connection cable (#930930) and a 5m cat cable. When using more than two ergometers, an additional license (#950906) can be ordered separately for each ergometer.

# Lode Rehab Manager

Simultaneous testing



## Features



### Patient Database

An extensive patient database is available, which can work as a stand alone database or linked to a SQL server. HL7 connection to the Hospital Information System (HIS) is possible.



### Data dashboard available

Various ergometry data is made visible, enabling the operator to simultaneously visualize ergometric parameters during the test and to control or quickly intervene when necessary.



Monitor

### Monitor during the test

The visualisations on the monitor can be selected by the operator to define a clear and usefull visual overview during the exercise test. The lay-outs for different purposes can be saved by the operator



### Add remarks

Remarks can be added and modified before, after and during the test



### Multiple analysis modes

Easy access to Analysis menu. Creating individual comparisons with an overview of the performed tests.



### Borg RPE scale integrated

Ratings of Perceived Exertion: an aid to help estimate the amount of exertion, the load and fatigue on a scale of 6 to 20.



### Easy guided protocol creation

Protocol Wizard for creating standard protocols for the bicycle ergometer or treadmill. An efficient manner to define the amount, duration and type of stages, in interval- step- or bodyweight controlled-protocols.



### Sophisticated analysis menu

Possibility to zoom into the results and synchronize with other graphs. To have a better look with the use of the x/y coordinate functionality. Compare several test results from a Test subject in a clear overview, or compare different test subject performing the same exercise test. Define your own print report.



### HL7 compatible

Specific data and reports can be exchanged with hospital information systems according to the HL7 standard



### Protocol editor

Exercise Protocols with target energy and target distance stages are created with the protocol editor. Special ramping stages or Heart rate controlled protocols are easily programmed. With the edit functionality the exercise protocols are adjusted in a second. Default protocols are available.

# Lode Rehab Manager

Simultaneous testing



## Interconnectivity between Lode products

Connecting Lode products has never been easier! Lode rehab and sports products have a standard Network card:

- To be able to connect the first product to the PC with L(C)RM a Lode proprietary network to PC cable is needed (#930930).
- From the second product onward products can be connected to the previous one, creating a bus network configuration;
- The last product always needs a termination plug to avoid interference and loss of data. Therefore all products with such a network card come with a termination plug.

### Benefits





- Lossless data connection
- High bandwidth
- No interference of COM ports
- Daisy chain connection
- Full access of all data in the product to LCRM

# Lode Rehab Manager

Simultaneous testing



Lode Rehab Manager can a.o be extended with the following options:

<p><b>Medical Keyboard</b></p> <p>Maximum hygiene</p>  <p>Partnumber: 945860</p>	<p><b>Medical Mouse</b></p> <p>Maximum hygiene</p>  <p>Partnumber: 945861</p>	<p><b>Additional device license L(C)RM</b></p> <p>Versatile data and ergometer</p>  <p>Partnumber: 950906</p>	<p><b>Network module connection cable</b></p> <p>Easy connection</p>  <p>Partnumber: 930930</p>
--	--	--	---

# Lode Rehab Manager

Simultaneous testing

## Specifications



### Comfort

Alarm Heart Rate	✓
Alarm Blood Pressure	✓
Audio Alarm	✓
Versatile database connection	✓

### User Interface

Customized Screenviews	✓
Customized Reports	✓
Personalized Color Settings	✓
Software available in English	✓
Software available in German	✓
Software available in Dutch	✓
Software available in French	✓
Software available in Russian	✓
Software available in Polish	✓
Software available in Japanese	✓

### Minimum System Requirements

Intel Core based processor	✓
Monitor, resolution 1920x1080 pixels	✓
Internal RAM	1024 Mb
Minimum Free Hard Disk space	20 Gb
CD Rom drive required	✓
Number of free USB ports	1
Mouse	✓
Keyboard	✓

### Compatibility

HL7 compatible	✓
Compatible with MS SQL Server	✓
Database	SQL Compact
Database limit when used as local database	4 Gb
Microsoft Windows 10	✓
Microsoft Windows 8	✓
Microsoft Windows 7	✓

### Included parts

PC software included	✓
----------------------	---

### Order info

Partnumber: 950905

*\*Specifications are subject to change without notice.*